



## Mainlube Superior Maintenance Lubricants Pty Ltd

189-191 Botany Road Waterloo, NSW, 2017

Ph 02-9310-3433.

ACN No. 001 748 876

Fax 02-9310-3503.

### STATEMENT OF HAZARDOUS NATURE

Non Hazardous According to Criteria of Worksafe Australia

## MATERIAL SAFETY DATA SHEET MAINLUBE 210

### IDENTIFICATION

Product Name:	Mainlube 210
Chemical Name:	Radiator Stop Leak.
Other Names:	None Assigned
Manufacturer's Product Code:	210
UN Number:	None Assigned
Dangerous Goods Class:	None Assigned
Subsidiary Risk[s] :	None Assigned
Hazchem Code:	None Assigned
EPG NO:	None Assigned
Poisons Schedule Number:	None Assigned
Toxic and Hazardous Ingredients:	None
Uses:	Specialised Organic Cellulose Additive Package for Sealing Aqueous Heat Exchanger System Leaks

Page 1 of 3  
August, 06

### PHYSICAL DESCRIPTION AND PROPERTIES

Colour:	Light Yellow
Appearance:	Porridge like Liquid.
Form:	Pasty Liquid
Boiling Point:	As for water
Melting Point:	0°C
Vapour Pressure:	As for water
Specific Gravity:	1.1
Volatiles:	None
Evaporation Rate:	As for water
Odour:	Fruit like
Solubility in Water:	80%

### FLASH POINT

Solvent:	Not Applicable
Lubricant residue:	Not Applicable
Flammability Limits:	None Flammable
Auto ignition Temperature:	Non Flammable.

210MSDS

## MATERIAL SAFETY DATA SHEET MAINLUBE 210

## INGREDIENTS

Chemical Name	CAS Number	Proportion
Water		<70%
Proprietary Specialised Organic Cellulose Additive Package Non Hazardous, Non Toxic. Biocide, Quaternary Ammonium Compound.		>15% < 2%

## HEALTH HAZARD INFORMATION

### HEALTH EFFECTS:

#### Acute:

Swallowed:	Expected to be mildly toxic
Skin:	Mild skin irritant.
Eyes:	Eye Irritant
Inhaled:	No Data

#### Chronic:

LC 50:	No Data
LD 50:	No Data

#### FIRST AID:

Swallowed:	Call Physician, induce vomiting.
Skin:	Wash with water..
Eyes:	Wash with water.
Inhaled:	No Data

#### FIRST AID FACILITIES:

#### ADVICE TO DOCTOR:

Refer to Chemical Ingredients, Treat Symptomatically.

#### PRECAUTIONS FOR USE

Exposure Standards:	None Assigned
Engineering Controls:	
Personal Protection:	Rubber or plastic gloves recommended. Safety glasses recommended
Flammability:	Mainlube 210 is not flammable

## **SAFE HANDLING INFORMATION**

Storage and Transport:	Store in plastic sealed containers.
Storage Temperature:	Store in a cool dry place.
UN Class:	None Assigned, non hazardous.
Packaging Group:	None Assigned, non hazardous.
UN Number:	None Assigned, non hazardous.
EPG Number:	None Assigned, non hazardous.
Correct Shipping Name:	Radiator Stop Leak
Spills and Disposals:	Absorb spills on to industrial organic absorbent, dispose in landfill, biodegradable.
Fire/Explosion Hazard:	Mainlube 210 is not flammable. Mainlube 210 will not support combustion.
Decomposition Products:	None Known
Hazchem Code:	None Assigned
Extinguishant:	Non Flammable

### **DANGER OF VIOLENT REACTION OR EXPLOSION: No**

Protective Clothing;	Rubber or plastic gloves and Safety glasses
Appropriate Measures;	None Assigned
Evacuate;	No

### **ENVIRONMENTAL COMMENTS:**

Mobility	This material is not water soluble. It is readily asorbed by soil and will quickly biodegrade and become an organic part of soils or sediments.
Degradability	This product is expected to readily Biodegrade. Nil BOD 50 Days.
Accumulation	This product is organic and not expected to bioaccumulate

### **CONTACT POINT:**

Mr Steve Simmonds, Mr Rob Simmonds,  
Mainlube Superior Maintenance Lubricants Pty Ltd.  
189-191 Botany Road Waterloo, NSW, 2017, Australia  
Ph 02-9310-3433. Fax 02-9310-3503.  
Mob 0412-644-244, Mob 0411-243-150.

### **24 Hour Emergency Tel No. Above Mobile Phones**

### **Emergency Services**

**Dial 000**

*We believe the statement, technical information and recommendation contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assure no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.*